Google Scholar BETA

Web   Images   Video   News   Maps   more »

node taxonomy tree view design (organizationa | 1970 | - | 2002 | Search

Scholar   All articles - Recent articles Results **1 - 30** of about **46** for **node taxonomy tree view design (organizational OR classification) ("taxonomy view" OR "taxonomy tree")**. (0.34 seconds)

[PDF] ·Focused crawling: A new approach to topic-specific Web resource discovery
S Chakrabarti, M van den Berg, B Dom - COMPUT. NETWORKS, 1999 - net.pku.edu.cn
... page) of G. There is also a **tree**-shaped hierar ... in future work.) Cat- egories in the
taxonomy tree, also called ... predicate good .c/ denotes whether a **node** c has ...
Cited by 796 - Related articles - View as HTML - Web Search - All 38 versions

Scalable feature selection, **classification** and signature generation for organizing large text ... - ·iitb.ac.in [PDF]
S Chakrabarti, B Dom, R Agrawal, P Raghavan - The VLDB Journal The International Journal on Very Large ..., 1998 - Springer
... a classifier at each internal **node** in the **taxonomy**, with diverse ... d, the goal is to
find a leaf **node** c such ... picking one's way down the **tree**: an irrevocable er ...
Cited by 158 - Related articles - Web Search - All 21 versions

Taxonomies in operation, **design**, and meta-**design** - ·iernuni-hagen.de [PDF]
C Niederee, C Muscogiuri, M Hemmje - Web Information Systems Engineering (Workshops), 2002. ..., 2002 - ieeexplore.ieee.org
... Ontologies generally appear as a **taxonomic tree** of conceptualizations, from ... are
connected with the respective language **node** l in the **taxonomy tree** via a ...
Cited by 8 - Related articles - Web Search - All 5 versions

Reuse of IP and virtual components
R Seepold - Proceedings of the conference on **Design**, automation and test ..., 1999 - portal.acm.org
... therefore, it can be represented by a **tree** [Seep99 ... by assigning it to a leaf **node**
which best ... represented by rectangles, that are contained in a **taxonomy tree**. ...
Cited by 7 - Related articles - Web Search - All 3 versions

Learning for automatic personalization in a semantic **taxonomy**-based meta-search agent
W Kim, L Kerschberg, A Scime - Electronic Commerce Research and Applications, 2002 - Elsevier
... we assume the WSTT is a full binary **tree** and there ... In this semantic **taxonomy**-based
meta-search agent approach, we have ... a user places on each concept **node** n in ...
Cited by 14 - Related articles - Web Search - All 2 versions

[PDF] ·Towards a **design** support tool for multimodal interface **design**
N Bernsen, S Lu, M May - 1994 - nis.sdu.dk
... present unimodal modality as expressed one level down in the **taxonomy** hierarchy ... which
can be accessed by clicking on the appropriate atomic **node** in the **tree**. ...
Related articles - View as HTML - Web Search - All 3 versions

[PDF] ·IPCHL-A Description Language for Semantic IP Characterization
M Schaaf, M Visarius, R Bergmann, R Maximini, M ... - Forum on Specification & **Design** Languages, September, 2002 - wi2.uni-trier.de
... Figure 6 shows a **tree view** on the XML Schema ... root element of the **taxonomy**
tree</xs:documentation ... xs:annotation> <xs:documentation>**tree node**</xs:documentation ...
Cited by 13 - Related articles - View as HTML - Web Search - All 8 versions

A **taxonomy** of scheduling in general-purpose distributed computing systems - ·cs.umanitoba.ca [PDF]
TL Casavant, JG Kuhl - IEEE Transactions on Software Engineering, 1988 - doi.ieeecs.org
... these characteristics near the bottom of the **tree** is not ... size of the overall description

of the **taxonomy** so as ... **node** in the network is responsible for two roles ...
Cited by 566 - Related articles - Web Search - All 15 versions

[PDF] ›Focused Crawling: A New Approach for Topic-Specific Resource Discovery
S Chakrabarti, M van den Berg, B Dom - WWW Conference, 1999 - cse.iitb.ac.in
... focused crawl starts with a master category **tree** which is ... a bit set to express if
the **node** is good ... has two fields coupling it with the **taxonomy** table: relevance ...
Cited by 81 - Related articles - View as HTML - Web Search - All 2 versions

Using Category-Based Adherence to Cluster Market-Basket Data - ›ntu.edu.tw [PDF]
CH Yun, KT Chuang, MS Chen - Proc. of, 2002 - doi.ieeecomputersociety.org
... In market-basket data, with the taxon- omy **tree** structure, there are three kinds
of IG values, ie ... In the **taxonomy tree**, the nearest large **node** of an ...
Cited by 7 - Related articles - Web Search - All 5 versions

[CITATION] XML Hierarchical Database for Missions and Technologies12
RR Some, A Czikmantory, J Neff, M Marshall - Proceedings, 1997 - Institute of Electrical and Electronics Engineers
Related articles - Web Search

PIPE: Web Personalization by Partial Evaluation
N Ramakrishnan - IEEE INTERNET COMPUTING, 2000 - doi.ieeecomputersociety.org
... reduced 80 internal **nodes** in the H2a **tree** to 74 ... evaluated, in turn navigating the
GAMS **taxonomy** rules and ... and is displayed when PIPE selects a **node** to include ...
Cited by 46 - Related articles - Web Search - BL Direct - All 8 versions

Synthesis of separation processes by using case-based reasoning - ›titik.fi [PDF]
E Pajula, T Seuranen, T Koiranen, M Hurme - Computers and Chemical Engineering, 2001 - Elsevier
... separations are to one another in the **tree** structure more ... on the level where the
nearest common **node** can be ... 4. A part of the **taxonomy tree** for material types. ...
Cited by 18 - Related articles - Web Search - BL Direct - All 6 versions

A personalized recommendation procedure for Internet shopping support
JK Kim, YH Cho, WJ Kim, JR Kim, JH Suh - Electronic Commerce Research and Applications, 2002 - Elsevier
... because choosing the right level of product **taxonomy** may improve ... an outcome of the
test, and each leaf **node** denotes a ... 2. Decision **tree** for purchase assessment. ...
Cited by 39 - Related articles - Web Search - All 2 versions

Persona: a contextualized and personalized web search - ›hawaii.edu [PDF]
F Tanudjaja, L Mui - System Sciences, 2002. HICSS. Proceedings of the 35th Annual ..., 2002 - ieeexplore.ieee.org
... So instead of finding up to depth n for each **node**, the depth should be a function
of how close a **node** is to a **tree**. ... TAXONOMY ... This set of **node** is the base set. ...
Cited by 47 - Related articles - Web Search - BL Direct - All 9 versions

Diabetic patients management exploiting case-based reasoning techniques
S Montani, R Bellazzi, L Portinale, Gd'Annunzio, ... - Computer Methods and Programs in Biomedicine, 2000 - Elsevier
... leaves is a specialization of the inner **node**, where additional ... performed on the leaves
of the **taxonomy tree**, to find ... at the upper level of the **tree**, working on ...
Cited by 27 - Related articles - Web Search - All 3 versions

Efficiency enhancement of rule-based expert systems
L Lhotska, T Vlcek - Computer-Based Medical Systems, 2002.(CBMS 2002). ..., 2002 - ieeexplore.ieee.org
... It contains 97 **nodes**, 153 rules and 24 contextual ... Introduction of **taxonomy** structures

brings considerable decrease of ... of the ES and decision **tree** joins the ...
Cited by 7 - Related articles - Web Search - All 8 versions

[PDF] ›Distributed Hypertext Resource Discovery Through Examples
S Chakrabarti, M Van den Berg, B Dom - PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON VERY LARGE ..., 1999 - http.cs.berkeley.edu
... is trained with example documents associated with each **node** or class in the **taxonomy**
tree. ... At each internal **node** c 0 in the class **tree**, training involves ...
Cited by 59 - Related articles - View as HTML - Web Search - BL Direct - All 13 versions

HIS: an information system about hypertext on hypertext
H Kaindl, HG Ziegeler - ACM SIGWEB Newsletter, 1992 - portal.acm.org
... acyclic graph, which is essentially a **tree** with only ... according to the transformation
of the **taxonomy** of concepts ... and the frequency of entering **nodes** from the ...
Cited by 2 - Related articles - Web Search

Taxonomy generation for document collections
J Doerre, P Gersti, S Goeser, A Mueller, R ... - US Patent 6,446,061, 2002 - Google Patents
... selected subset of documents, said tax -onomy being a **tree**-structured **taxonomy**-
hierarchy ... largest intra-similarity is assigned to a leaf-**node** of said ...
Cited by 18 - Related articles - Web Search - All 3 versions

Using a Metasystem Approach to Support and Study the **Design** Process
PG Sorenson, JP Tremblay - LECTURE NOTES IN COMPUTER SCIENCE, 1996 - Springer
... the class is a non-leaf **node** in the **taxonomy tree**. ... orientation is a left-to-right
decision **tree**; and some ... can be considered the parent of one or more **nodes**. ...
Cited by 3 - Related articles - Web Search - BL Direct - All 3 versions

A new shape-oriented **classification** method for UV/VIS-spectra
R Wallwitz, W Baumann - Fresenius'Journal of Analytical Chemistry, 1996 - Springer
... generates this database **tree** that behaves like a **taxonomy tree**. ... Each terminal **node**
of the database **tree** represents a ... Each shape **tree** is coded by prefix codes ...
Cited by 1 - Related articles - Web Search - BL Direct - All 3 versions

[CITATION] Efficiency Enhancement of Rule-Based Expert Systems
LLT Vicek - Proceedings of the 15th IEEE Symposium on Computer-Based ..., 2002 - IEEE Computer Society
Related articles - Web Search

Medical applications of enhanced rule-based expert systems - ›cvut.cz [PDF]
L Lhotska, V Mark, T Vicek - International Journal of Medical Informatics, 2001 - Elsevier
... is represented by a graph of a root **tree** type ... The final version of it contains 97
nodes, 153 rules and 24 ... base is comparatively low and if some **taxonomy** in the ...
Cited by 4 - Related articles - Web Search - BL Direct - All 6 versions

[PDF] ›PIPE: Web Personalization byPartial Evaluation
C like Netperceptions - ACM Trans. Information Systems, 1997 - people.cs.vt.edu
... to integrate these approaches into the **design** of personalization ... achieved by mining
links that violated the **tree taxonomy**. ... ing reduced 80 internal **nodes** in the ...
Related articles - View as HTML - Web Search - All 4 versions

A configurable system for the construction of adaptive virtual stores - ›unito.it [PS]
L Ardissono, A Goy, R Meo, G Petrone, L Console, L ... - World Wide Web, 1999 - Springer
... con- cerned, at the beginning of a session the CF points to the most general **node**

of the ... The model underlying the Stereotype **taxonomy** is a **tree** with feature ...
Cited by 45 - Related articles - Web Search - BL Direct - All 5 versions

[PDF] ›Learning to Map between Structured Representations of Data
AH Doan - 2002 - pages.cs.wisc.edu
... and (c) the visualization of the DTD as a **tree**. . ... 5.2 Domains and **taxonomies** for
experiments with ... for the representation matching problem, we can **design** a semi ...
Cited by 51 - Related articles - View as HTML - Web Search - Library Search - All 10 versions

RESEDA: A knowledge-based advisory system for remote sensing
O Günther, G Hess, M Mutz, WF Riekert, T Ruwwe - Applied Intelligence, 1993 - Springer
... figure 3. The **nodes** in this **tree**-structured graph ... all an- chored in the target class
taxonomy. ... directed acyclic graphs whose **nodes** represent (usually geographic ...
Cited by 4 - Related articles - Web Search - Library Search

An enterprise modelling CASE tool and data schema requirements for the selection of software support
KTK Toh, JA Harding - International Journal of Production Research, 1999 - ingentaconnect.com
... 9, which further describes how resource **taxonomies** can be ... the holon is built up in
the function **view**. ... further capture the holonic behaviour, any **node** holon is ...
Cited by 7 - Related articles - Web Search - All 2 versions

Sealing, Encapsulation, and Mutablility
M Biberstein, J Gil, S Porat - LECTURE NOTES IN COMPUTER SCIENCE, 2001 - Springer
... From the language **design** perspective, we will see that ... Figure 1 depicts a **taxonomy**
of class fields from the encapsulation/immutability point of **view**. ...
Cited by 13 - Related articles - Web Search - BL Direct - All 4 versions

Key authors: **S Chakrabarti** - **B Dom** - **M van den Berg** - **T Casavant** - **J Kuhl**

Google ▶

Result Page: 1 2 **Next**

[node taxonomy tree view design (o| [Search]

Google Home - About Google - About Google Scholar

©2009 Google